

VE49L-A**49”****3.5mm Bezel FHD 500nits Video Wall Signage****Key Feature**

- ADSDS Technology
- 3.5mm Slim bezel
- 500nits
- FHD Resolution
- DP Loop
- RS232 Control
- VESA Wall Mount Interface

Specification

Display

| | |
|--------------------------|-----------------------|
| Model | VE49L-A |
| Screen Size (Diagonal) | 49 inch |
| LCD Tech. | ADS |
| Native Resolution | 1920 × 1080 |
| Aspect Ratio | 16: 9 |
| Brightness | 500 cd/m ² |
| Contrast | 1200:1 |
| View Angle | 178°(H) / 178°(V) |
| Display Color | 16.7M |
| Color Gamut | 72% |
| Response Time | 8ms |
| Life Time (Light Source) | 50,000 Hrs |

Interface

| | |
|------------------|------------------------------|
| VGA | 1(In) |
| DVI-D | 1(In) |
| HDMI | 2(In, 4K × 1/MHL × 1, v2.0) |
| DP | 2 (In&Out, v1.1) |
| RS232 | 2 (RJ45, In × 1/Out × 1) |
| IR | 1 (Common use with RS232 in) |
| USB | - |
| Built-In Speaker | - |



Power

| | |
|-------------------|---------------------|
| Power supply | AC 100~240V 50/60Hz |
| Power consumption | ≤ 130W |

Environment


| | |
|-----------------------|------------|
| Operation temperature | 0°C~50°C |
| Operation humidity | 20%~80% RH |

Specification

Physical

| | |
|--------------------------------------|--|
| Bezel | 3.5 mm |
| Body Dimension | 1078.34 (W) × 608.36 (H) × 92.7 (D) mm |
| Set Weight | 23 Kg |
| Package Dimension (2 sets inside) | 1170 (W) × 330 (H) × 715 (D) mm |
| Package Weight (2 sets inside) | 58 Kg |
| Handle | 2 |
| VESA Mounting | 400 × 400 |

Dimension Drawing



Product Image

